Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	626	photoplethysmograph\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:57
S2	242	photoplethysmograph\$4 and probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 15:33
<b>S3</b>	218	photoplethysmograph\$4 and probe and measurement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 09:01
S4	159	photoplethysmograph\$4 and probe and pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 12:58
<b>S</b> 5	13	photoplethysmograph\$4 and probe and apply near pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 11:47
S6	71	photoplethysmograph\$4 and probe and pressure and light source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 11:48
<b>S7</b>	43	photoplethysmograph\$4 and probe and pressure and light source and photodetector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 13:15
S8	2	US-5427093-\$.DID. OR US-5827181-\$.DID.	US-PGPUB; USPAT; USOCR	ADJ .	ON	2006/07/13 13:14
S9	11	"4915116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 13:44
S10	0	"199423643"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 13:44

•						
S11	· 4	94/23643	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2006/07/13 13:45
<b>S12</b>	2	wo 94/23643	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 13:46
S13	0	1994/23643	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 13:46
S14	91662	optical axis	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/13 14:25
S15	1902	"same" optical axis	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/13 14:39
S16	1	"6606509".pn. and photoplethysmograph\$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/13 14:40
S17	42	photoplethysmograph\$4 and probe and pressure and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 17:01
S18	1	photoplethysmograph\$4 and probe and pressure and heat dissipat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 17:01
<b>S19</b>	3	photoplethysmograph\$4 and probe and pressure and heat and dissipat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/13 17:01
S20	1	"20050049468"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:54
S21	37	"5860919"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 06:14
S22	1	"5860919".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 06:43
S23	1	"5827181".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 06:16
S24	1	"5485838".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 06:17

					Υ	
<b>S25</b>	1	"5111817".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 06:17
S26	1	"6064898".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 06:43
S27	. 1	"6064898".pn. and pressure	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 06:44
S28	1	"6064898".pn. and (pressure or tension)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 06:44
529	6	(US-20030163033-\$).did. or (US-6606509-\$ or US-6319205-\$ or US-4580574-\$ or US-5860919-\$ or US-5827181-\$).did.	US-PGPUB; USPAT	ADJ	ON	2006/07/17 07:21
S30	1	S29 and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 07:22
S31	454	pulse oximeter\$3 and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 07:23
S32	376	pulse oximeter\$3 and heat and light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 07:23
S33	210	pulse oximeter\$3 and heat and light and probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 07:23
S34	727	probe and bolt and nut and heat and pressure and light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 07:24
<b>S35</b>	38	probe and bolt and nut and heat and pressure and light and photodetector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 07:36
<b>S</b> 36	1	heat and led and burn and disipation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 07:37
<b>S37</b>	1934	heat and led and burn and dissipa\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 07:37

S38	324	heat and led and burn and dissipa\$5 and probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 07:37
<b>S39</b>	5	heat and led and burn and dissipa\$5 and probe and oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 08:48
S40	262	photoplethysmograph\$ and display and (wave or waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2006/07/17 08:49
S41	145	photoplethysmograph\$ and display and (wave or waveform) and probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 08:54
S42	0	photoplethysmograph\$ and display and (wave or waveform) and probe and programmable logic and processor and recorder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 08:55
S43	3	photoplethysmograph\$ and display and (wave or waveform) and probe and programmable logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 09:02
S44	318	pulse oximet\$5 and probe and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 09:26
S45	295	pulse oximet\$5 and probe and spring and light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OŅ	2006/07/17 09:26
S46	.17	pulse oximet\$5 and probe and spring and light and optical axis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 09:29
S47	0	pulse oximet\$5 and probe and spring and light and elastic and nut and bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 09:31

S48	0	pulse oximet\$5 and probe and spring and light and nut and bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 09:32
S49	8	pulse oximet\$5 and probe and spring and light and nut	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 09:34
S50	44	pulse oximet\$5 and probe and spring and light and (nut or screw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 09:34
S51	3	US-4773422-\$.DID. OR US-4809885-\$.DID. OR US-5529065-\$. DID.	US-PGPUB; USPAT; USOCR	ADJ	ON <sup>-</sup>	2006/07/17 09:46
S52	4	US-5348003-\$.DID. OR US-5800348-\$.DID. OR US-4321930-\$. DID. OR US-4685464-\$.DID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:48
S53	. 3	US-5431170-\$.DID. OR US-5628310-\$.DID. OR US-5167230-\$. DID.	US-PGPUB; USPAT; USOCR	ADJ	ON .	2006/07/17 09:53
<b>S</b> 54	0	"20021077536" or 2002/062070	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:54
S55	2	"021077536" or "02062070"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:55
S56	0	"20021077536" or "2002062070"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:55
<b>S</b> 57	0	2002/1077536	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:57
S58	3	US-5431170-\$.DID. OR US-5628310-\$.DID. OR US-5167230-\$. DID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:56
<b>S</b> 59	0	thumd screw and spring	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:57
S60	11868	thumb screw and spring	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:57
S61	5559	thumb screw and spring and nut	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:58
S62	3896	thumb screw and spring and nut and (tension or pressure)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 09:58
S63	14	thumb screw and spring and nut and (tension or pressure) near horizontal	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 10:02
S64	218	spring between nut	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 10:15

S65	0	"spring between nut and thumb screw"	US-PGPUB; USPAT; USOCR	ADJ	ON .	2006/07/17 10:14
S66	0	"spring between the nut and thumb screw"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 10:15
S67	0	"spring around the thumb screw"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 10:15
S68	0	spring aroung the thumb screw	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 10:15
S69	. 0	spring between nut and thumd screw	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 10:15
S70	1	spring between nut and thumb screw	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 10:21
S71	172	spring between and thumb screw	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 11:02
<b>S</b> 72	23	pulse oximeter and finger probe and weight	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 11:06
<b>\$</b> 73	35	pulse oximeter and finger probe and adhesive	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/07/17 11:06
S74		"10654184".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 11:36
S75	0	"10654184"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 11:36
S76	1	10/654184	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 12:03
<b>S77</b>	0	("2005/0049468").URPN.	USPAT	ADJ	ON	2006/07/17 11:37
S78	211	finger (probe or sensor) and (spring or elastic) and (screw or nut or bolt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/07/17 12:04
S79	0	("6606509".pn. or "4580574".pn.) and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:39

S80	0	heat disipation plate and light emitting diode and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:40
S81	0	heat disipation plate and light and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:40
S82	0	heat disipation and light and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:40
S83	385	heat and light and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:41
<b>S</b> 84	173	heat and light emitting diode and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:41
S85	43	heat and light emitting diode and pulse oximeter and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:44
S86	1732	heat and light emitting diode and finger and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:44
S87	43	heat and light emitting diode and pulse oximeter and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:45
S88	2	"5427093".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:45
S89	2	"5427093".pn. and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:45

9/18/2006 12:03:05 PM C:\Documents and Settings\zbaxter\My Documents\EAST\Workspaces\10632963.wsp Page 7

S90		"5427093".pn. and heat and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:59
S91	0	probe and heat\$disipating plate and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:49
592	0	probe and heat\$disipating and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:50
S93	676	probe and heat and light emitting diode and finger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:51
S94	463	probe and heat and light emitting diode and finger and monitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:51
S95	100	probe and heat and light emitting diode and finger and monitor and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:51
S96		probe and heat and light emitting diode and finger and monitor and pulse oximeter and disipat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:52
S97	2	probe and heat-dissipating and light emitting diode and finger and monitor and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:52
S98	2	probe and heat-dissipating plate and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:52
S99	2	probe and heat\$dissipating plate and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:53

S10 0	16	probe and heat\$dissipating and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:54
S10 1	46	probe and heat dissipating and light emitting diode .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:55
S10 2		S101 not "222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ΑDĴ	ON	2006/09/15 08:55
S10 3	30	S101 not S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:56
\$10 4	1238	(heat\$dissipating or heat dissipating) plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:57
S10 5	0	(heat\$dissipating or heat dissipating) plate and light emmiting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:57
S10 6	34	(heat\$dissipating or heat dissipating) plate and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:57
S10 7	. 1	"5427093".pn. and heat and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/15 08:59
S10 8	1804	600/324 or 600/335 or 600/344 or 600/310	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:58
S10 9		photoplethysmograph\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59

S11 0	250	photoplethysmograph\$4 and probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S11 1	222	photoplethysmograph\$4 and probe and measurement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S11 8	0	"199423643"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S12 1	0	1994/23643	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S12 2	93438	optical axis	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S12 3	1936	"same" optical axis	US-PGPUB; USPAT; USOCR	ADJ ·	ON	2006/09/18 11:59
\$12 6	1	photoplethysmograph\$4 and probe and pressure and heat dissipat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S12 9	38	"5860919"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S13 4	1	"6064898".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S13 9	466	pulse oximeter\$3 and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S14 0	388	pulse oximeter\$3 and heat and light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S14 1	220	pulse oximeter\$3 and heat and light and probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59

9/18/2006 12:03:05 PM C:\Documents and Settings\zbaxter\My Documents\EAST\Workspaces\10632963.wsp Page 10

S14 2	744	probe and bolt and nut and heat and pressure and light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S14 5	1985	heat and led and burn and dissipa\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S14 6	341	heat and led and burn and dissipa\$5 and probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S14 8	267	photoplethysmograph\$ and display and (wave or waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S15 0	0	photoplethysmograph\$ and display and (wave or waveform) and probe and programmable logic and processor and recorder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S15 2	330	pulse oximet\$5 and probe and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S15 3	306	pulse oximet\$5 and probe and spring and light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S15 5	0	pulse oximet\$5 and probe and spring and light and elastic and nut and bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S15 6	0	pulse oximet\$5 and probe and spring and light and nut and bolt .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S16 2	0	"20021077536" or 2002/062070	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S16 4	0	"20021077536" or "2002062070"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S16 5	0	2002/1077536	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59

S16 7	0	thumd screw and spring	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S16 8	11912	thumb screw and spring	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S16 9	5578	thumb screw and spring and nut	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S17 0	3909	thumb screw and spring and nut and (tension or pressure)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S17 3	0	"spring between nut and thumb screw"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S17 4	0	"spring between the nut and thumb screw"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S17 5	0	"spring around the thumb screw"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S17 6	0	spring aroung the thumb screw	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
S17 7	0	spring between nut and thumd screw	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/09/18 11:59
\$18 3	0	"10654184"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S18	0	("2005/0049468").URPN.	USPAT	ADJ	ON	2006/09/18 11:59
S18 5	0	"10654184".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S18 7	385	heat and light and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S18 8	1732	heat and light emitting diode and finger and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S18 9	0	(heat\$dissipating or heat dissipating) plate and light emmiting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59

S19 0	463	probe and heat and light emitting diode and finger and monitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S19 2	2	probe and heat-dissipating plate and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
<b>S</b> 19 5	2	probe and heat-dissipating and light emitting diode and finger and monitor and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S19 6		"5427093".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S19 8	2	"5427093".pn. and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S19 9	0	probe and heat\$disipating and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S20 3	0	probe and heat\$disipating plate and light emitting diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S20 4	32	S197 not "222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S20 5	0	("6606509".pn. or "4580574".pn.) and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59
S20 6	0	heat disipation and light and pulse oximeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/18 11:59

520	0	probe and heat and light emitting diode and finger and monitor	US-PGPUB;	ADJ	ON	2006/09/18 11:59
7		and pulse oximeter and disipat\$4	USPAT;			
			USOCR;			
			EPO; JPO;		ļ	
			DERWENT;			
			IBM_TDB			

9/18/2006 12:03:05 PM C:\Documents and Settings\zbaxter\My Documents\EAST\Workspaces\10632963.wsp Page 14